

# Kitemark™ Certificate

This is to certify that:

FloPlast Ltd  
Eurolink Business Park  
Castle Road  
Sittingbourne  
Kent  
ME10 3FP  
United Kingdom

Holds Certificate Number:

KM 501316

In respect of:

**BS EN 607, BS EN 12200-1 and BS 1462**  
**BS EN 607:2004, BS EN 12200-1:2000 and BS EN 1462:2004** Plastics rainwater, piping and guttering systems for above ground use - Unplasticized poly (vinyl chloride) PVC-U

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:



---

Chris Lewis - Certification Director, Product Certification

First Issued: 2006-09-08

Latest Issue: 2018-04-27

Effective Date: 2018-04-27

Expiry Date: 2021-04-26



Page: 1 of 6

...making excellence a habit.™

# Kitemark™ Certificate

No. KM 501316

**BS EN 607: 2004 - Eaves gutters and fittings made of PVC-U - Definitions, requirements and testing**

**BS EN 12200-1: 2016 - Plastics rainwater piping systems for above ground external use – Unplasticized poly(vinyl chloride) (PVC-U)Part 1: Specifications for pipes, fittings and the system**

**BS EN 1462:2004 - Plastics rainwater piping systems for above ground external use – Unplasticized poly(vinyl chloride) (PVC-U)Part 1: Specifications for pipes, fittings and the system**

**The scope of this Certificate covers the following products.**

## **Half Round 112mm / 68mm Rainwater System**

<b>Product Code</b>	<b>Description</b>	<b>Colour</b>
RG2	2m Half Round Gutter	W / Bl / Br / G / A
RG3	3m Half Round Gutter	W / Bl / Br / G / A
RG4	4m Half Round Gutter	W / Bl / Br / G / A
RA1	90° Angle	W / Bl / Br / G / A
RA2	135° Angle	W / Bl / Br / G / A
RA3	50° - 156° Adjustable Angle	W / Bl / Br / G / A
RE1	Stopend - External	W / Bl / Br / G / A
RE2	Stopend – Internal	W / Bl / Br / G / A
RK1	Fascia Bracket	W / Bl / Br / G / A
RO1	Running Outlet	W / Bl / Br / G / A
RO2	Stopend Outlet	W / Bl / Br / G / A
RU1	Union Bracket	W / Bl / Br / G / A
RD3	Gutter Adaptor – Half Round to Cast Iron Ogee Right Hand	W / Bl / Br / G / A
RD4	Gutter Adaptor – Half Round to Cast Iron Ogee Left Hand	W / Bl / Br / G / A
RD5	Gutter Adaptor – Half Round to Cast Iron Half Round Left Hand	W / Bl / Br / G / A
RP2.5	2.5m, 68mm Rainwater Downpipe	W / Bl / Br / G / A
RP4	4m, 68mm Rainwater Downpipe	W / Bl / Br / G / A
RP5.5	5m, 68mm Rainwater Downpipe	W / Bl / Br / G / A
RB1	92.5° Offset Bend	W / Bl / Br / G / A
RB2	112.5° Offset Bend	W / Bl / Br / G / A
RB3	Shoe	W / Bl / Br / G / A
RC1	Pipe Clip	W / Bl / Br / G / A
RC3	Pipe Clip – single fixing	W / Bl / Br / G / A
RHS1	Hopper	W / Bl / Br / G / A
RS1	Pipe Socket	W / Bl / Br / G / A
RY1	67.5° Branch	W / Bl / Br / G / A
RVS1	Flosaver	W / Bl / Br / G / A

First Issued: 2006-09-08

Effective Date: 2018-04-27

Latest Issue: 2018-04-27

Expiry Date: 2021-04-26

Page: 2 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 501316

**BS EN 607: 2004 - Eaves gutters and fittings made of PVC-U - Definitions, requirements and testing**

**BS EN 12200-1: 2016 - Plastics rainwater piping systems for above ground external use – Unplasticized poly(vinyl chloride) (PVC-U)Part 1: Specifications for pipes, fittings and the system**

**BS EN 1462:2004 - Plastics rainwater piping systems for above ground external use – Unplasticized poly(vinyl chloride) (PVC-U)Part 1: Specifications for pipes, fittings and the system**

## Square Line 114mm / 65mm Rainwater System

Product Code	Description	Colour
RGS2	2m Square Line Gutter	W / Bl / Br / G / A
RGS3	3m Square Line Gutter	W / Bl / Br / G / A
RGS4	4m Square Line Gutter	W / Bl / Br / C / G / A
RAS1	90° Angle	W / Bl / Br / C / G / A
RAS2	135° Angle	W / Bl / Br / C / G / A
RAS3	50° - 156° Adjustable Angle	W / Bl / Br / C / G / A
RES1	Stopend – External	W / Bl / Br / C / G / A
RES2	Stopend – Internal	W / Bl / Br / C / G / A
RKS1	Fascia Bracket	W / Bl / Br / C / G / A
ROS1	Running Outlet	W / Bl / Br / C / G / A
ROS2	Stopend Outlet	W / Bl / Br / C / G / A
RUS1	Union Bracket	W / Bl / Br / C / G / A
RDS1	Gutter Adaptor – Square Line to Half Round	W / Bl / Br / C / G / A
RDS3	Gutter Adaptor – Square Line to Cast Iron Ogee Right Hand	W / Bl / Br / C / G / A
RDS4	Gutter Adaptor – Square Line to Cast Iron Half Round Left Hand	W / Bl / Br / C / G / A
RDS5	Gutter Adaptor – Square Line to Half Round Cast Iron	W / Bl / Br / C / G / A
RPS2.5	2.5m, 65mm Square Rainwater Downpipe	W / Bl / Br / C / G / A
RPS4	4m, 65mm Square Rainwater Downpipe	W / Bl / Br / C / G / A
RPS5.5	5m, 65mm Square Rainwater Downpipe	W / Bl / Br / C / G / A
RBS1	92.5° Offset Bend	W / Bl / Br / C / G / A
RBS2	112.5° Offset Bend	W / Bl / Br / C / G / A
RBS3	Shoe	W / Bl / Br / C / G / A
RBS5	Adjustable Offset Bend	W / Bl / Br / C / G / A
RCS1	Pipe Clip	W / Bl / Br / C / G / A
RCS2	Pipe Clip (Flush)	W / Bl / Br / C / G / A
RCS3	Pipe Clip (Single Fixing)	W / Bl / Br / C / G / A
RHS1	Hopper	W / Bl / Br / C / G / A
RSS1	Pipe Socket	W / Bl / Br / C / G / A
RYS1	67.5° Branch	W / Bl / Br / C / G / A
RDS2	Square to Round Adaptor	W / Bl / Br / C / G / A
RVS1	FloSaver	W / B / G / A

First Issued: 2006-09-08

Effective Date: 2018-04-27

Latest Issue: 2018-04-27

Expiry Date: 2021-04-26

Page: 3 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 501316

**BS EN 607: 2004 - Eaves gutters and fittings made of PVC-U - Definitions, requirements and testing**

**BS EN 12200-1: 2016 - Plastics rainwater piping systems for above ground external use – Unplasticized poly(vinyl chloride) (PVC-U)Part 1: Specifications for pipes, fittings and the system**

**BS EN 1462:2004 - Plastics rainwater piping systems for above ground external use – Unplasticized poly(vinyl chloride) (PVC-U)Part 1: Specifications for pipes, fittings and the system**

## Niagara Rainwater System

Product Code	Description	Colour
RGN4	4m Niagara Gutter	W / Bl / Br / C / S / G / A
RAN1	90° Angle – Internal	W / Bl / Br / C / S / G / A
RAN2	90° Angle – External	W / Bl / Br / C / S / G / A
RAN3	135° Angle – Internal	W / Bl / Br / C / S / G / A
RAN4	135° Angle – External	W / Bl / Br / C / S / G / A
REN1	External Stopend – Left Hand	W / Bl / Br / C / S / G / A
REN2	External Stopend – Right Hand	W / Bl / Br / C / S / G / A
REN3	Internal Stopend – Left Hand	W / Bl / Br / C / S / G / A
REN4	Internal Stopend – Right Hand	W / Bl / Br / C / S / G / A
RKN1	Fascia Bracket	W / Bl / Br / C / S / G / A
RON1	Running Outlet – 65mm Square System	W / Bl / Br / C / S / G / A
RON2	Stopend Outlet – Left Hand – 65mm Square System	W / Bl / Br / C / S / G / A
RON3	Stopend Outlet – Right Hand – 65mm Square System	W / Bl / Br / C / S / G / A
RON4	Running Outlet – 80mm Round	W / Bl / Br / C / S / G / A
RON5	Stopend – Left Hand – 80mm Round	W / Bl / Br / C / S / G / A
RON6	Stopend – Right Hand – 80mm Round	W / Bl / Br / C / S / G / A
RUN1	Union Bracket	W / Bl / Br / C / S / G / A
RNR3	Gutter Adaptor – Niagara to Half Round – Right Hand	W / Bl / Br / C / S / G / A
RNR4	Gutter Adaptor – Niagara to Half Round – Left Hand	W / Bl / Br / C / S / G / A
RNS3	Gutter Adaptor – Niagara to Square Line – Right Hand	W / Bl / Br / C / S / G / A
RNS4	Gutter Adaptor – Niagara to Square Line– Left Hand	W / Bl / Br / C / S / G / A
RPH4	4m, 80mm Rainwater Downpipe	W / Bl / Br / C / S / G / A
RBH1	92.5° Offset Bend	W / Bl / Br / C / S / G / A
RBH2	112.5° Offset Bend	W / Bl / Br / C / S / G / A
RBH3	Shoe	W / Bl / Br / C / S / G / A
RCH3	Pipe Clip (Single Fixing)	W / Bl / Br / C / S / G / A
RSH1	Pipe Socket	W / Bl / Br / C / S / G / A
RYH1	67.5° Branch	W / Bl / Br / C / S / G / A
RHH1	Hopper	W / Bl / Br / C / S / G / A

First Issued: 2006-09-08

Effective Date: 2018-04-27

Latest Issue: 2018-04-27

Expiry Date: 2021-04-26

Page: 4 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 501316

**BS EN 607: 2004 - Eaves gutters and fittings made of PVC-U - Definitions, requirements and testing**

**BS EN 12200-1: 2016 - Plastics rainwater piping systems for above ground external use – Unplasticized poly(vinyl chloride) (PVC-U)Part 1: Specifications for pipes, fittings and the system**

**BS EN 1462:2004 - Plastics rainwater piping systems for above ground external use – Unplasticized poly(vinyl chloride) (PVC-U)Part 1: Specifications for pipes, fittings and the system**

## Hi - Cap Rainwater System

Product Code	Description	Colour
RGH4	4m Niagara Gutter	W / Bl / Br / S / G / A
RAH1	90° Angle	W / Bl / Br / S / G / A
RAH2	135° Angle	W / Bl / Br / S / G / A
REH1	Stopend External	W / Bl / Br / S / G / A
REH2	Stopend Internal	W / Bl / Br / S / G / A
RKH1	Fascia Bracket	W / Bl / Br / S / G / A
ROH1	Running Outlet – 68mm	W / Bl / Br / S / G / A
ROH4	Running Outlet – 80mm	W / Bl / Br / S / G / A
RUH1	Union Bracket	W / Bl / Br / S / G / A
RUH2	Floating Union Bracket	W / Bl / Br / S / G / A
RHR3	Gutter Adaptor – Hi-Cap to Half Round	W / Bl / Br / S / G / A
RHS4	Gutter Adaptor – Hi Cap to Square Line	W / Bl / Br / S / G / A

## Xtraflow Rainwater System

Product Code	Description	Colour
RGX4	4m Gutter	Bl / G / A
RAX1	90° Angle	Bl / G / A
REX1	Stopend External	Bl / G / A
REX2	Stopend Internal	Bl / G / A
RKX1	Fascia Bracket	Bl / G / A
ROX1	Running Outlet	Bl / G / A
RUX1	Union Bracket	Bl / G / A

W = White  
Bl = Black  
Br = Brown  
G = Grey  
A = Anthracite  
S = Sand  
C = Caramel

First Issued: 2006-09-08

Latest Issue: 2018-04-27

Effective Date: 2018-04-27

Expiry Date: 2021-04-26

Page: 5 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 501316

- BS EN 607: 2004 - Eaves gutters and fittings made of PVC-U - Definitions, requirements and testing**
- BS EN 12200-1: 2016 - Plastics rainwater piping systems for above ground external use – Unplasticized poly(vinyl chloride) (PVC-U)Part 1: Specifications for pipes, fittings and the system**
- BS EN 1462:2004 - Plastics rainwater piping systems for above ground external use – Unplasticized poly(vinyl chloride) (PVC-U)Part 1: Specifications for pipes, fittings and the system**

Products listed on this Certificate are manufactured from the following Materials:

Material Grade	Colour
CRM08/298/Black 296 CRM08F/216/Black 296 IR500-0901-AD-Black	Black
CRM09/232/Brown K856 CRM08/216/Brown K872	Brown
CRM08F/298/White K816 CRM08/216/White K559 IR500-158-AC-White	White
CRM09/216/Grey K847 CRM08/216/Grey K737	Grey
CRT01/111/Caramel H633 CRT07110/Caramel J565	Caramel
CRT05/003/Sand HO16 CRT05/111/Sand H016	Sand
CRM08F/216/P253	Anthracite Grey

First Issued: 2006-09-08  
Latest Issue: 2018-04-27

Effective Date: 2018-04-27  
Expiry Date: 2021-04-26

Page: 6 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).